

12-15-05

06:26pm

From-PILLSBURY WINTHROP SHAW PITTMAN LLP

+858-509-4010

T-575 **RECEIVED** 442
CENTRAL FAX CENTER

DEC 15 2005

Attorney Docket: 044182-0308760

Client Reference:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of: STROM ET Confirmation Number: 2939

AL.

Application No.: 10/801,944

Group Art Unit: 2857

Filed: March 15, 2004

Examiner: KIM, Paul L

Title: SYSTEM AND METHOD OF MEASURING PROBE FLOAT

RESPONSE TO OFFICE ACTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This paper is responsive to the Office Action dated August 15, 2005 and is concurrently filed with a Petition for Extension of Time covering the time from November 15 until present. Please enter the following response:

CERTIFICATION UNDER 37 C.F.R. §§ 1.8 and/or 1.10*

(When using Express Mail, the Express Mail label number is *mandatory*; Express Mail certification is *optional*.)

I hereby certify that, on the date shown below, this paper (along with any paper referred to as being attached or enclosed) is being facsimile transmitted to the Patent and Trademark Office. (571) 273-8300.

Date: December 15, 2005


Signature

Sachiko Y. Snedden

(type or print name of person certifying)

* Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1.8 continues to be taken into account in determining timeliness. See § 1.703(f). Consider "Express Mail Paid Office in Addressee" (§ 1.10) or facsimile transmission (§ 1.8(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.